

**REQUEST FOR PUBLIC COMMENTS  
ON DRAFT AIR PERMIT  
REGULATING THE EMISSIONS OF AIR POLLUTANTS**

**(Docket No. 15-CA-PA-43)**

Pursuant to Hawaii Revised Statutes (HRS), Chapter 342B-13 and Hawaii Administrative Rules (HAR), Chapter 11-60.1, the Department of Health, State of Hawaii (DOH), is requesting public comments on the following **DRAFT PERMIT** presently under review for:

**Temporary Covered Source Permit (CSP) No. 0547-01-CT**

Renewal and Modification Application No. 0547-05

Northwest Demolition and Dismantling

Crushing and Screening Plants

Located At: Various Temporary Sites, State of Hawaii

Initial Location: Hickam Air Force Base, Oahu

The **DRAFT PERMIT** is described as follows:

The renewal and modification of **CSP No. 0547-01-CT** will grant conditional approval for the continued operation of one (1) 200 TPH crusher, one (1) 375 hp diesel engine generator. Removal of one (1) 5' x 12' CEC Triple-Deck screener and the addition of one (1) 200 cy/hr screen. The crushing and supporting plants are subject to 40 Code of Federal Regulations (CFR), Part 60, Subject 000, Standards of Performance for Nonmetallic Mineral Processing Plants (NSPS). This permit, if issued, will supersede CSP No. 0547-01-CT, issued on February 20, 2009, in its entirety

The **ADMINISTRATIVE RECORD**, consisting of the **APPLICATION** and non-confidential supporting materials from the applicant, the permit review summary, and the **DRAFT PERMIT**, are available for public inspection during regular office hours, Monday through Friday, 7:45 a.m. to 4:15 p.m., at the following locations:

**Oahu:**

% Clean Air Branch, Department of Health  
919 Ala Moana Boulevard, Room 203  
Honolulu, Oahu 96814

All comments on the draft permit and any request for a public hearing must be in writing, addressed to the Clean Air Branch at the above address on Oahu and must

be postmarked or received by **January 22, 2016**

Any person may request a public hearing by submitting a written request that explains the party's interest and the reasons why a hearing is warranted. The DOH may hold a public hearing if a hearing would aid in DOH's decision. If a public hearing is warranted, a public notice for the hearing will be published at least thirty days in advance of the hearing.

Interested persons may obtain copies of the administrative record or parts thereof by paying **five (5) cents per page copying costs**. Please send written requests to the Oahu office of the Clean Air Branch listed above or call Mr. Joseph Baumgartner at the Clean Air Branch in Honolulu at (808) 586-4200. Electronic copies of the draft permit and permit review may be found online at <http://health.hawaii.gov/cab/public-notices/>.

Comments on the draft permit should address, but need not be limited to, the permit conditions and the facility's compliance with federal and state air pollution laws, including: (1) the National and State Ambient Air Quality Standards; and (2) HRS, Chapter 342B and HAR, Chapter 11-60.1.

The DOH will make a final decision on the permit after considering all comments and will send notice of the final decision to each person who has submitted comments or requested such notice.

Virginia Pressler, M.D.  
Director of Health

(SA827207 12/22/15)